INDEX TO AUTHORS.

A

Abramson, Harold A. The cataphoretic velocity of mammalian red blood cells, 711

—. Modification of the Northrop-Kunitz microcataphoresis cell, 469

— and **Michaelis, L.** The influence of size, shape, and conductivity of microscopically visible particles on cataphoretic mobility, 587

Anson, M. L., and **Mirsky, A. E.** Heme and tissue iron, 401

— and —. On hemochromogen, 273

—. See MIRSKY and ANSON, 581

—. See NORTHROP and ANSON, 543

B

Blinks, L. R. The injection of sulfates into *Valonia*, 207

Brewer, George. See EAGLE and BREWER, 845

Brinley, Floyd J. Effects of cyanide on the protoplasm of ameba, 201

C

Castle, E. S. Dark adaptation and the light-growth response of *Phycomyces*, 391

Clark, O. E. See MCBAIN, LAING, and CLARK, 695

Cohn, A. E., and **Mirsky, A. E.** Physiological ontogeny. A. Chicken embryos. XIV. The hydrogen ion concentration of the blood of chicken embryos as a function of time, 463

Cole, Kenneth S. Electric impedance of suspensions of *Arbacia* eggs, 37

—. Electric impedance of suspensions of spheres, 29

Cole, William H. The relation between temperature and the pedal rhythm of *Balanus*, 599

—. See CROZIER and COLE, 669

Cook, S. F. The effect of sudden changes of temperature on protoplasmic streaming, 793

Cooper, W. C., Jr., Dorcas, M. J., and **Osterhout, W. J. V.** The penetration of strong electrolytes, 427

Coulter, Calvin B. Oxidation-reduction equilibria in biological systems. I. Reduction potentials of sterile culture bouillon, 139

Crozier, W. J., and **Cole, W. H.** The phototropic excitation of *Limax*, 669

— and **Stier, T. J. B.** Geotropic orientation in arthropods. II. *Tetraopes*, 675

— and **Wolf, Ernst.** Dark adaptation in *Agriolimax*, 83

—. See KROPP and CROZIER, 111

D

Dole, Malcolm. See MACINNES and DOLE, 805

Dorcas, M. J. See COOPER, DORCAS, and OSTERHOUT, 427

E

Eagle, Harry. The mechanism of complement fixation, 825
—. A method for the titration of complement, 821
— and **Brewer, George.** Mechanism of hemolysis by complement. I. Complement fixation as an essential preliminary to hemolysis, 845
Emerson, Robert. Photosynthesis as a function of light intensity and of temperature with different concentrations of chlorophyll, 623
—. The relation between maximum rate of photosynthesis and concentration of chlorophyll, 609

G

Gowen, John W., and **Tobey, Elmer R.** Significance of the chemical composition of the secreting and dry mammary gland to milk secretion, 123
Green, Arda A., Weech, A. A., and **Michaelis, L.** Studies on permeability of membranes. VII. Conductivity of electrolytes within the membrane, 473

H

Harris, E. S. See OSTERHOUT and HARRIS, 167, 355, 761
Harvey, E. Newton, and **Stevens, Kenneth P.** The brightness of the light of the West Indian elaterid beetle, *Pyrophorus*, 269
Hecht, Selig, and **Wolf, Ernst.** The visual acuity of the honey bee, 727
Hill, Samuel E. The penetration of luminous bacteria by the ammonium salts of the lower fatty acids. Part I. General outline of the problem, and the effects of strong acids and alkalies, 863
Hill, Samuel E. The validity of the glass electrode in ammonium chloride buffers, 813
Hitchcock, David I. The combination of gelatin with hydrochloric acid. II. New determinations of the isoelectric point and combining capacity of a purified gelatin, 495

I

Irwin, Marian. Spectrophotometric studies of penetration. IV. Penetration of trimethyl thionine into *Nitella* and *Valonia* from methylene blue, 147
—. V. Resemblances between the living cell and an artificial system in absorbing methylene blue and trimethyl thionine, 407

J

Jacques, A. G., and **Osterhout, W. J. V.** Internal *versus* external toxicity in *Valonia*, 209

K

Kellogg, Frederick. See MCBAIN and KELLOGG, 1
Kistler, S. S. See MCBAIN and KISTLER, 187
Kropp, Benjamin, and **Crozier, W. J.** Geotropic orientation in arthropods. III. The fiddler crab *UCA*, 111
Kunitz, M. Syneresis and swelling of gelatin, 289
— and **Northrop, John H.** Fractionation of gelatin, 379
—. See NORTHROP and KUNITZ, 537

L

Laing, M. E. See McBain, Laing, and Clark, 695

Lepeschkin, W. W. The thermic effect of death, 345

Lucké, Balduin, and **McCutcheon, Morton.** The effect of valence of ions on cellular permeability to water, 571

—. See McCutcheon and Lucké, 129

M

MacInnes, D. A., and **Dole, Malcolm.** A glass electrode apparatus for measuring the pH values of very small volumes of solution, 805

McBain, James W., and **Kellogg, Frederick.** The salting out of gelatin into two liquid layers with sodium chloride and other salts, 1

— and **Kistler, S. S.** Membranes for ultrafiltration, of graduated fineness down to molecular sieves, 187

—, **Laing, M. E.,** and **Clark, O. E.** Salt error of indicators due to standard alkaline buffers themselves. II, 695

McCutcheon, Morton, and **Lucké, Balduin.** The effect of certain electrolytes and non-electrolytes on permeability of living cells to water, 129

—. See Lucké and McCutcheon, 571

Michaelis, L. See Abramson and Michaelis, 587

—. See Green, Weech, and Michaelis, 473

—. See Weech and Michaelis, 55, 221, 487

Mirsky, A. E., and **Anson, M. L.** On pyridine hemochromogen, 581

Mirsky, A. E., and **Anson, M. L.** See Anson and Mirsky, 273, 401

—. See Cohn and Mirsky, 463

N

Navez, A. E. Respiration and geotropism in *Vicia faba.* I, 641

Northrop, John H. Chemical and physical changes in gelatin solutions during hydrolysis, 529

—. The permeability of dry collodion membranes. II, 435

— and **Anson, M. L.** A method for the determination of diffusion constants and the calculation of the radius and weight of the hemoglobin molecule, 543

— and **Kunitz, M.** The swelling of gelatin and the volume of surrounding solution, 537

— and **Simms, Henry S.** The effect of the hydrogen ion concentration on the rate of hydrolysis of glycyl glycine, glycyl leucine, glycyl alanine, glycyl asparagine, glycyl aspartic acid, and biuret base by erepsin, 313

—. See Kunitz and Northrop, 379

du Noüy, P. Lecomte. The viscosity of blood serum, as a function of temperature, 363

O

Osterhout, W. J. V., and **Harris, E. S.** The concentration effect in *Nitella,* 761

— and —. The death wave in *Nitella.* I. Applications of like solutions, 167

— and —. II. Applications of unlike solutions, 355

—. See Cooper, Dorcas, and Osterhout, 427

Osterhout, W. J. V. See JACQUES and OSTERHOUT, 209

P

Parker, G. H. Carbon dioxide from the unsevered vagus nerve of the snake, 419
Porosowsky, Yetta. See COHN and MIRSKY, 463

R

Robertson, T. Brailsford. The nature of the factors which determine the sequence of growth cycles and its relationship to the differentiation of tissues, 329

S

Schreinemakers, F. A. H. Osmosis of liquids. II, 555
Shattuck, G. Edgar. Hemolysis of chicken blood, 17
Simms, Henry S. Chemical antagonism of ions. I. Effect of Na-Mg and K-Mg mixtures on the activity of oxalic diion, 241
—. II. Antagonism between anions and also between cations and anions in their effect on oxalate activity, 259
—. III. Effect of salt mixtures on gelatin activity, 511
—. IV. Effect of salt mixtures on glycine activity, 783
Simms, Henry S. The prearginine in edestin and its resistance to hydrolysis, 231
—. See NORTHROP and SIMMS, 313
Stevens, Kenneth P. See HARVEY and STEVENS, 269
Stier, T. J. B. See CROZIER and STIER, 675

T

Tobey, Elmer R. See GOWEN and TOBEY, 123

W

Weech, A. A., and **Michaelis, L.** Studies on permeability of membranes. V. The diffusion of non-electrolytes through the dried collodion membrane, 55
— and —. VI. Mensuration of the dried collodion membrane (calculation of dimensions and of relations to certain biological membranes), 221
— and —. VIII. The behavior of the dried collodion membrane toward bivalent cations, 487
—. See GREEN, WEECH, and MICHAELIS, 473
Wolf, Ernst. See CROZIER and WOLF, 83
—. See HECHT and WOLF, 727

INDEX TO SUBJECTS.

A

Absorption:
Methylene blue and trimethyl thionine, resemblances between living cell and artificial system (IRWIN) 407

Acid(s):
Fatty, ammonium salts, penetration of luminous bacteria. Part I (HILL) 863
Strong, effect on penetration of luminous bacteria by ammonium salts of fatty acids (HILL) 863

Adaptation:
Dark, in *Agriolimax* (CROZIER and WOLF) 83
—, of *Phycomyces* (CASTLE) 391

Agriolimax:
Dark adaptation in (CROZIER and WOLF) 83

Alkali:
Strong, effect on penetration of luminous bacteria by ammonium salts of fatty acids (HILL) 863

Alkaline:
Buffer, standard, salt error of indicators due to (MCBAIN, LAING, and CLARK) 695

Ameba:
Protoplasm, effects of cyanide (BRINLEY) 201

Ammonium chloride:
Buffers, validity of glass electrode (HILL) 813

Ammonium salts:
Penetration of luminous bacteria by ammonium salts of lower fatty acids. Part I (HILL) 863

Anion:
Cation and, antagonism, in effect on oxalate activity (SIMMS) 259

Apparatus:
Glass electrode, for measuring pH values of very small volumes of solution (MACINNES and DOLE) 805

Arbacia:
Egg, electric impedance of suspensions (COLE) 37

Arthropod:
Geotropic orientation. II (CROZIER and STIER) 675
— —. III (KROPP and CROZIER) 111

B

Bacterium:
Luminous, penetration by ammonium salts of lower fatty acids. Part I (HILL) 863

Balanus:
Temperature and pedal rhythm, relation (COLE) 599

Base:
Biuret, hydrogen ion effect on hydrolysis, by erepsin (NORTHROP and SIMMS) 313

Bee:
Honey, visual acuity (HECHT and WOLF) 727

Beetle:
West Indian elaterid, brightness of light (HARVEY and STEVENS) 269

Biuret:
Base, hydrogen ion effect on hydrolysis, by erepsin (NORTHROP and SIMMS) 313
Blood:
Chicken embryo, hydrogen ion, as function of time (COHN and MIRSKY) 463
—, hemolysis (SHATTUCK) 17
Corpuscle, red. *See* Erythrocyte.
Serum. *See* Serum.
Bouillon:
Culture, sterile, reduction potentials (COULTER) 139
Buffer:
Alkaline, standard, salt error of indicators due to (MCBAIN, LAING, and CLARK) 695
Ammonium chloride, validity of glass electrode (HILL) 813

C

Carbon dioxide:
Snake, unsevered vagus nerve (PARKER) 419
Cataphoresis:
Erythrocyte, mammalian, cataphoretic velocity (ABRAMSON) 711
Mobility, influence of size, shape, and conductivity of microscopic particles (ABRAMSON and MICHAELIS) 587
Cation:
Anion and, antagonism, in effect on oxalate activity (SIMMS) 259
Bivalent, behavior of dried collodion membrane toward (WEECH and MICHAELIS) 487
Cell:
Blood, red. *See* Erythrocyte.
Living, resemblances to artificial system in absorbing methylene blue and trimethyl thionine (IRWIN) 407
Microcataphoresis, modification of Northrop-Kunitz (ABRAMSON) 469
Permeability to water, effect of electrolytes and non-electrolytes on (MCCUTCHEON and LUCKÉ) 129
Cellular:
Permeability to water, effect of valence of ions (LUCKÉ and MCCUTCHEON) 571
Chemical antagonism:
Ion. I (SIMMS) 241
—. II (SIMMS) 259
—. III (SIMMS) 511
—. IV (SIMMS) 783
Chlorophyll:
Concentration, photosynthesis as function of light intensity and temperature (EMERSON) 623
Photosynthesis and concentration, relation (EMERSON) 609
Collodion:
Membrane, dried, behavior toward bivalent cations (WEECH and MICHAELIS) 487
—, —, diffusion of non-electrolytes through (WEECH and MICHAELIS) 55
—, —, mensuration (WEECH and MICHAELIS) 221
—, dry, permeability. II (NORTHROP) 435
Complement:
Fixation, as essential preliminary to hemolysis (EAGLE and BREWER) 845

Complement—*continued:*
Fixation, mechanism (EAGLE) 825
Hemolysis, mechanism. I (EAGLE and BREWER) 845
Titration (EAGLE) 821
Concentration effect:
Nitella (OSTERHOUT and HARRIS) 761
Conductivity:
Electrolyte, in membrane (GREEN, WEECH, and MICHAELIS) 473
Microscopic particles, influence on cataphoretic mobility (ABRAMSON and MICHAELIS) 587
Corpuscle:
Blood, red. *See* Erythrocyte.
Culture:
Bouillon, sterile, reduction potentials (COULTER) 139
Cyanide:
Protoplasm of ameba, effects on, of (BRINLEY) 201

D

Diffusion:
Constant, calculation of radius and weight of hemoglobin molecule from (NORTHROP and ANSON) 543
Non-electrolyte, through dried collodion membrane (WEECH and MICHAELIS) 55

E

Edestin:
Prearginine in, resistance to hydrolysis (SIMMS) 231
Egg:
Arbacia, electric impedance of suspensions (COLE) 37
Electricity:
Arbacia eggs, impedance of suspensions (COLE) 37
Electricity—*continued:*
Impedance of suspensions of spheres (COLE) 29
Electrode:
Glass, apparatus, for measuring pH values of very small volumes of solution (MACINNES and DOLE) 805
—, validity in ammonium chloride buffers (HILL) 813
Electrolyte:
Conductivity, in membrane (GREEN, WEECH, and MICHAELIS) 473
Diffusion of non-electrolytes through dried collodion membrane (WEECH and MICHAELIS) 55
Penetration of strong (COOPER, DORCAS, and OSTERHOUT) 427
Permeability of cell to water, effect of non-electrolytes (MCCUTCHEON and LUCKÉ) 129
— — — — water effect on, of (MCCUTCHEON and LUCKÉ) 129
Embryo:
Blood of chicken, hydrogen ion, as function of time (COHN and MIRSKY) 463
Chicken. XIV (COHN and MIRSKY) 463
Equilibrium:
Oxidation-reduction, in biological systems. I (COULTER) 139
Erepsin:
Hydrogen ion effect on hydrolysis of glycyl glycine, glycyl leucine, glycyl alanine, glycyl asparagine, glycyl aspartic acid, and biuret base by (NORTHROP and SIMMS) 313

Erythrocyte:
Mammalian, cataphoretic velocity (ABRAMSON) 711
Excitation:
Phototropic, of *Limax* (CROZIER and COLE) 669

F

Fatty acids:
Ammonium salts, penetration of luminous bacteria. Part I (HILL) 863
Fiddler crab:
Geotropic orientation in (KROPP and CROZIER) 111
Fixation:
Complement. *See* Complement.

G

Gelatin:
Activity, effect of salt mixtures (SIMMS) 511
Combination with hydrochloric acid. II (HITCHCOCK) 495
Fractionation (KUNITZ and NORTHROP) 379
Purified, isoelectric point and combining capacity, new determinations (HITCHCOCK) 495
Salting out, into two liquid layers with sodium chloride and other salts (McBAIN and KELLOGG) 1
Solution, chemical and physical changes during hydrolysis (NORTHROP) 529
Swelling, and volume of surrounding solution (NORTHROP and KUNITZ) 537
Syneresis and swelling (KUNITZ) 289
Geotropism:
Orientation in arthropods. II (CROZIER and STIER) 675
Geotropism—*continued:*
Orientation in arthropods. III (KROPP and CROZIER) 111
Respiration and, in *Vicia faba*. I (NAVEZ) 641
Gland:
Mammary, dry, significance of chemical composition, to milk secretion (GOWEN and TOBEY) 123
—, secreting, significance of chemical composition, to milk secretion (GOWEN and TOBEY) 123
Glass:
Electrode apparatus for measuring pH values of very small volumes of solution (MACINNES and DOLE) 805
—, validity in ammonium chloride buffers (HILL) 813
Glycine:
Activity, effect of salt mixtures (SIMMS) 783
Glycyl alanine:
Hydrolysis, hydrogen ion effect on, by erepsin (NORTHROP and SIMMS) 313
Glycyl asparagine:
Hydrolysis, hydrogen ion effect on, by erepsin (NORTHROP and SIMMS) 313
Glycyl aspartic acid:
Hydrolysis, hydrogen ion effect on, by erepsin (NORTHROP and SIMMS) 313
Glycyl glycine:
Hydrolysis, hydrogen ion effect on, by erepsin (NORTHROP and SIMMS) 313
Glycyl leucine:
Hydrolysis, hydrogen ion effect on, by erepsin (NORTHROP and SIMMS) 313
Growth:
Cycle, sequence, relationship to differentiation of tissues (ROBERTSON) 329

Growth—*continued:*
Light-, response to *Phycomyces* (CASTLE) 391

H

Heme:
Tissue iron and (ANSON and MIRSKY) 401
Hemochromogen:
(ANSON and MIRSKY) 273
Pyridine (MIRSKY and ANSON) 581
Hemoglobin:
Molecule, calculation of radius and weight, from diffusion constants (NORTHROP and ANSON) 543
Hemolysis:
Chicken blood (SHATTUCK) 17
Complement fixation as essential preliminary (EAGLE and BREWER) 845
—, mechanism. I (EAGLE and BREWER) 845
Hydrochloric acid:
Gelatin combination. II (HITCHCOCK) 495
Hydrogen:
Ion, effect on hydrolysis of glycyl glycine, glycyl leucine, glycyl alanine, glycyl asparagine, glycyl aspartic acid, and biuret base by erepsin (NORTHROP and SIMMS) 313
—, glass electrode apparatus for measuring values of very small volumes of solution (MACINNES and DOLE) 805
— of chicken embryo blood as function of time (COHN and MIRSKY) 463
Hydrolysis:
Gelatin solutions, chemical and physical changes during (NORTHROP) 529
Hydrogen ion effect on, of glycyl glycine, glycyl leucine, glycyl alanine, glycyl asparagine, glycyl aspartic acid, and biuret base by erepsin (NORTHROP and SIMMS) 313
Prearginine in edestin, resistance to (SIMMS) 231

I

Indicator:
Salt error, due to standard alkaline buffers. II (MCBAIN, LAING, and CLARK) 695
Ion:
Chemical antagonism. I (SIMMS) 241
— —. II (SIMMS) 259
— —. III (SIMMS) 511
— —. IV (SIMMS) 783
Hydrogen, effect on hydrolysis of glycyl glycine, glycyl leucine, glycyl alanine, glycyl asparagine, glycyl aspartic acid, and biuret base by erepsin (NORTHROP and SIMMS) 313
—, of chicken embryo blood, as function of time (COHN and MIRSKY) 463
Valence, effect on cellular permeability to water (LUCKÉ and MCCUTCHEON) 571
Iron:
Tissue and heme (ANSON and MIRSKY) 401
Isoelectric point:
Purified gelatin, and combining capacity, new determinations (HITCHCOCK) 495

L

Light:
-growth response to *Phycomyces* (CASTLE) 391
Intensity and temperature with different chlorophyll concentrations, photosynthesis as function (EMERSON) 623
Pyrophorus, brightness (HARVEY and STEVENS) 269
West Indian elaterid beetle, brightness (HARVEY and STEVENS) 269

Limax:
Phototropic excitation (CROZIER and COLE) 669

Liquid:
Osmosis. II (SCHREINEMAKERS) 555

M

Magnesium:
Potassium-, mixtures, effect on oxalic diion activity (SIMMS) 241
Sodium-, mixtures, effect on oxalic diion activity (SIMMS) 241

Mammal:
Erythrocyte, cataphoretic velocity (ABRAMSON) 711

Mammary gland:
See Gland.

Membrane:
Collodion, dried, behavior toward bivalent cations (WEECH and MICHAELIS) 487
—, —, diffusion of non-electrolytes through (WEECH and MICHAELIS) 55
—, —, mensuration (WEECH and MICHAELIS) 221
—, dry, permeability. II (NORTHROP) 435

Membrane—*continued:*
Conductivity of electrolyte (GREEN, WEECH, and MICHAELIS) 473
Permeability. V (WEECH and MICHAELIS) 55
—. VI (WEECH and MICHAELIS) 221
—. VII (GREEN, WEECH, and MICHAELIS) 473
—. VIII (WEECH and MICHAELIS) 487
Ultrafiltration of graduated fineness down to molecular sieves (MCBAIN and KISTLER) 187

Methylene blue:
Absorption, resemblances between living cell and artificial system (IRWIN) 407
Penetration of trimethyl thionine into *Nitella* and *Valonia* from (IRWIN) 147

Microcataphoresis:
Cell, modification of Northrop-Kunitz (ABRAMSON) 469

Microscopic:
Particles, influence of size, shape, and conductivity on cataphoretic mobility (ABRAMSON and MICHAELIS) 587

Milk:
Secretion, significance of chemical composition of secreting and dry mammary gland to (GOWEN and TOBEY) 123

N

Nerve:
Unsevered vagus, of snake, carbon dioxide from (PARKER) 419

Nitella:
Concentration effect (OSTERHOUT and HARRIS) 761

Nitella—*continued:*
Death wave. I (OSTERHOUT and HARRIS) 167
— —. II (OSTERHOUT and HARRIS) 355
— —, application of like solutions (OSTERHOUT and HARRIS) 167
— —, effect of applications of unlike solutions (OSTERHOUT and HARRIS) 355
Penetration of trimethyl thionine into, from methylene blue (IRWIN) 147

O

Ontogeny:
Physiology. A. XIV (COHN and MIRSKY) 463
Orientation:
Geotropic, in arthropods. II (CROZIER and STIER) 675
—, — —. III (KROPP and CROZIER) 111
Osmosis:
Liquid. II (SCHREINEMAKERS) 555
Oxalate:
Activity, antagonism between anions and cations in effect on (SIMMS) 259
Oxalic diion:
Sodium- and potassium-magnesium mixtures, effect on activity (SIMMS) 241
Oxidation:
-reduction equilibria in biological systems. I (COULTER) 139

P

Penetration:
Electrolyte, strong (COOPER, DORCAS, and OSTERHOUT) 427
Spectrophotometric. V (IRWIN) 407
Penetration—*continued:*
Spectrophotometric measurements. IV (IRWIN) 147
Trimethyl thionine into *Nitella* and *Valonia* from methylene blue (IRWIN) 147
Permeability:
Cells to water, effect of electrolytes and non-electrolytes on (MCCUTCHEON and LUCKÉ) 129
Cellular, to water, effect of valence of ions (LUCKÉ and MCCUTCHEON) 571
Membrane. V (WEECH and MICHAELIS) 55
—. VI (WEECH and MICHAELIS) 221
—. VII (GREEN, WEECH, and MICHAELIS) 473
—. VIII (WEECH and MICHAELIS) 487
—, dry collodion. II (NORTHROP) 435
Photosynthesis:
Chlorophyll, relation between concentration and (EMERSON) 609
Light intensity and temperature with different chlorophyll concentrations (EMERSON) 623
Phototropism:
Excitation of *Limax* (CROZIER and COLE) 669
Phycomyces:
Dark adaptation and light-growth response (CASTLE) 391
Physiology:
Ontogeny. A. XIV (COHN and MIRSKY) 463
Potassium:
-magnesium mixtures, effect on oxalic diion activity (SIMMS) 241

Potential:
Reduction, of sterile culture bouillon (COULTER) 139
Prearginine:
Edestin, resistance to hydrolysis (SIMMS) 231
Protoplasm:
Ameba, effects of cyanide (BRINLEY) 201
Streaming, effect of sudden changes of temperature (COOK) 793
Pyridine:
Hemochromogen (MIRSKY and ANSON) 581
Pyrophorus:
Brightness of light (HARVEY and STEVENS) 269

R

Reduction:
Oxidation-, equilibria in biological systems. I (COULTER) 139
Potential of sterile culture bouillon (COULTER) 139
Respiration:
Geotropism and, in *Vicia faba*. I (NAVEZ) 641

S

Salt(s):
Ammonium, of lower fatty acids, penetration of luminous bacteria. Part I (HILL) 863
Error of indicators due to standard alkaline buffers. II (MCBAIN, LAING, and CLARK) 695
Mixture, effect on gelatin activity (SIMMS) 511
Mixtures, effect on glycine activity (SIMMS) 783
Sodium chloride and, salting out of gelatin into two liquid layers with (MCBAIN and KELLOGG) 1
Salt(s)—*continued:*
Secretion:
Milk, significance of chemical composition of secreting and dry mammary gland to (GOWEN and TOBEY) 123
Serum:
Viscosity, as function of temperature (DU NOÜY) 363
Snake:
Vagus nerve, unsevered, carbon dioxide from (PARKER) 419
Sodium:
-magnesium mixtures, effect on oxalic diion activity (SIMMS) 241
Sodium chloride:
Salts and, salting out of gelatin into two liquid layers with (MCBAIN and KELLOGG) 1
Spectrophotometer:
Penetration, spectrophotometric measurements. IV (IRWIN) 147
Spectrophotometric:
Penetration. V (IRWIN) 407
Streaming:
Protoplasmic, effect of sudden changes of temperature (COOK) 793
Sulfate:
Injection into *Valonia* (BLINKS) 207
Swelling:
Gelatin, and volume of surrounding solution (NORTHROP and KUNITZ) 537
Syneresis and, of gelatin (KUNITZ) 289
Syneresis:
Swelling and, of gelatin (KUNITZ) 289

T

Temperature:
Balanus, relation between pedal rhythm and (COLE) 599
Light intensity and, with different chlorophyll concentrations, photosynthesis as function (EMERSON) 623
Protoplasmic streaming, effect on, of (COOK) 793
Viscosity of serum as function (DU NOÜY) 363
Tetraopes:
Geotropic orientation (CROZIER and STIER) 675
Thermic:
Effect of death (LEPESCHKIN) 345
Thionine:
Trimethyl, absorption, resemblances between living cell and artificial system (IRWIN) 407
—, penetration into *Nitella* and *Valonia* from methylene blue (IRWIN) 147
Tissue:
Differentiation, sequence of growth cycles, relation (ROBERTSON) 329
Iron and heme (ANSON and MIRSKY) 401
Titration:
Complement (EAGLE) 821
Toxicity:
Valonia, internal *vs.* external (JACQUES and OSTERHOUT) 209
Trimethyl thionine:
Absorption, resemblances between living cell and artificial system (IRWIN) 407
Penetration into *Nitella* and *Valonia* from methylene blue (IRWIN) 147

U

Uca:
Geotropic orientation in (KROPP and CROZIER) 111
Ultrafiltration:
Membrane for, of graduated fineness down to molecular sieves (MCBAIN and KISTLER) 187

V

Vagus:
Nerve, unsevered, of snake, carbon dioxide from (PARKER) 419
Valence:
Ion, effect on cellular permeability to water (LUCKÉ and MCCUTCHEON) 571
Valonia:
Penetration of trimethyl thionine into, from methylene blue (IRWIN) 147
Sulfate injection into (BLINKS) 207
Toxicity in, internal *vs.* external (JACQUES and OSTERHOUT) 209
Vicia:
faba, respiration and geotropism. I (NAVEZ) 641
Viscosity:
Serum, as function of temperature (DU NOÜY) 363
Vision:
Honey bee, acuity (HECHT and WOLF) 727

W

Water:
Cellular permeability to, effect of valence of ions (LUCKÉ and MCCUTCHEON) 571
Permeability of cells to, effect of electrolytes and non-electrolytes on (MCCUTCHEON and LUCKÉ) 129